

Customization at finish line

Samsung offers businesses productivity options

Samsung offers businesses options that enable the MX7 Color Series MFPs to handle and finish more documents in less time. These productivity-enhancing options include a high-volume finisher that staples up to 65 sheets, as well as a 25-sheet booklet finisher that can assemble a 100-page booklet. Our Wi-Fi protocol option supports a higher speed compared with a typical 2.4 GHz speed, enabling users to transmit high volume data with reliable performance.

Configurations and options

Paper output options

Job Separator
SL-JST501S



Inner Finisher
SL-FIN502L



OR

High-Volume Finisher
SL-FIN701H



Booklet Finisher
SL-FIN701B



OR

Staples
(Main for High Volume)
SL-STP000

Staples
(Inner, Booklet)
SCX-STP000

OR

Punch Kit
(Inner - 2/3, 2/4, Swedish)
SL-HPU501T

Punch Kit
(Booklet - 2/3, 2/4, Swedish)
SL-HPU701T

Equipped with standard 100-sheet (LX) or 250-sheet (GX) DSDF



Standard 2 x 520 sheets

Accessories

Multipurpose Table
SL-WKT101



Work Table
CLX-WKT001



Wireless/NFC Kit
SL-NWE002X, SL-NWE001X



Additional Network Kit
SL-NWA001N



FDI Kit
CLX-KIT10F



Fax Kit
CLX-FAX160



Dual Fax Kit
SL-FAX2501



Cassette Locking Kit
SL-CLK501



Paper input options

CHOOSE ONE

Cabinet
SL-DSK501T



OR

DCF
SL-PPF501D



OR

HCF
SL-HCF501B



HCF-Side
SL-HCF501S



Samsung MultiXpress Color Multifunction

X7400 | X7500 | X7600 Series

	SL-X7400LX*/GX*	SL-X7500LX*/GX	SL-X7600LX*/GX
General			
Speed (Mono/Color)	B&W: Up to 40 ppm in A4 (40 ppm in Letter) Color: Up to 40 ppm in A4 (40 ppm in Letter) B&W: Up to 21 ppm in A3 (20 ppm in 11x17) Color: Up to 21 ppm in A3 (20 ppm in 11x17)	B&W: Up to 50 ppm in A4 (50 ppm in Letter) Color: Up to 50 ppm in A4 (50 ppm in Letter) B&W: Up to 26 ppm in A3 (26 ppm in 11x17) Color: Up to 26 ppm in A3 (26 ppm in 11x17)	B&W: Up to 60 ppm in A4 (60 ppm in Letter) Color: Up to 60 ppm in A4 (60 ppm in Letter) B&W: Up to 31 ppm in A3 (31 ppm in 11x17) Color: Up to 31 ppm in A3 (31 ppm in 11x17)
Functions	Print / Copy / Scan / Optional Fax		
Processor/Memory	1.5 GHz Quad core / Standard 4GB / Max 4GB: Android panel has an additional 2 GB memory.		
Display	10.1 Android based Color Touchscreen LCD		
Interface	High-speed USB 3.0, Ethernet 10/100/1,000 BaseTX, IEEE® 802.11 b/g/n (Optional)		
Warm-up Time (Sleep/Power Off)	12 seconds / 23 seconds		
Noise Level (Simplex/Duplex)	Printing: 54/57dB Copying: 58/60dB Standby: 30dB Sleep: 30dB	Printing: 54/57dB Copying: 59/61dB Standby: 30dB Sleep: 30dB	Printing: 56/59dB Copying: 59/61dB Standby: 30dB Sleep: 30dB
Storage	320GB HDD Standard		
Max. Monthly Duty Cycle	200,000 Pages	250,000 Pages	330,000 Pages
Dimensions (W x D x H)	LX Models: 22.3" x 24" x 34.6"; GX Models: 22.3" x 24" x 36.7"		
Weight	LX Models: 240 lbs.; GX Models: 269 lbs.		
Network Protocols	IP Management (DHCP, BOOTP, AutoIP, SetIP, Static) / Discovery Protocol (SLP, UPnP, Bonjour®, DNS, WINS) / Printing Protocol (TCP / IP, LPR, IPP, WSD) / Management Protocol (SNMPv1.2, SNMP3, SMTP, Talnet) / Scan Protocol (SMTP, FTP, SMB, WSD) / Security Protocol (SMB, Kerberos™, LDAP, IPsec, EAP)		
Network Security	SSL / TLS, IPsec, SNMPv3, Protocol & Port Management, IPv6, IP / MAC Filtering, IEEE 802.1x support (Optional)		
OS Compatibility	[Windows] - Windows XP (32/64bit)/2003 (32/64bit)/Vista (32/64bit)/2008/Win7/2008 R2 (64 only)/Win8/2012/Win8.1/2012 R2 [Linux] - RedHat Enterprise Linux WS 5, 6 (32/64bit) - Fedora 12, 13, 14, 15, 16, 17, 18, 19, 20 (32/64bit) - OpenSuSE 11.2, 11.3, 11.4, 12.1, 12.2,12.3,13.1 (32/64bit) - Ubuntu 10.04, 11.04, 11.10, 12.04, 12.10,13.04,13.10,14.04 (32/64bit) - SuSE Linux Enterprise Desktop 10, 11 (32/64bit) - Debian 6, 7 (32/64bit) - Mint 13, 14, 15, 16 (32/64bit) [Mac] - Mac OS X 10.6 - 10.10		
Power Consumption	2.0 W (Sleep) / 30 W (Ready) / 1.3 kWh (Max)		
Certification	Telecommunication: FCC Part68, ICES-003 /KCC/TBR21 Environmental: EPA(Energy Star)/BlueAngel Safety: c-UL/CDRH/TUV/CB/IEK/GOST-R/TUV-GS EMC/EMI: FCC Part15A/CE/KCC Document: PTS(BAM), Archive Security: CC(Common criteria), HIPPA (TBD)		
Print			
Simplex	B&W: Up to 40 ppm in A4 (40 ppm in Letter) Color: Up to 40 ppm in A4 (40 ppm in Letter) B&W: Up to 21 ppm in A3 (20 ppm in 11x17) Color: Up to 21 ppm in A3 (20 ppm in 11x17)	B&W: Up to 50 ppm in A4 (50 ppm in Letter) Color: Up to 50 ppm in A4 (50 ppm in Letter) B&W: Up to 26 ppm in A3 (26 ppm in 11x17) Color: Up to 26 ppm in A3 (26 ppm in 11x17)	B&W: Up to 60 ppm in A4 (60 ppm in Letter) Color: Up to 60 ppm in A4 (60 ppm in Letter) B&W: Up to 31 ppm in A3 (31 ppm in 11x17) Color: Up to 31 ppm in A3 (31 ppm in 11x17)
Duplex (Simplex to Duplex)	Up to 40 ipm in A4 (40 ipm in Letter) Up to 21 ipm in A3 (21 ipm in 11x17)	Up to 50 ipm in A4 (50 ipm in Letter) Up to 26 ipm in A3 (26 ipm in 11x17)	Up to 60 ipm in A4 (60 ipm in Letter) Up to 31 ipm in A3 (31 ipm in 11x17)
First Print Out Time	(as fast as) 9.9 sec color/8.0 sec Mono	(as fast as) 8.9 sec color/7.2 sec Mono	(as fast as) 8.3 sec color/6.8 sec Mono
Resolution	1,200 x 1,200 dpi optical / 9,600 x 9,600 enhanced		
Emulation	PCL5, PCL6 (XL), PostScript Level 3, PDF 1.7, XPS		
Fonts	PCL:93 scalable, 1 bitmap, OCR-A,OCR-B, PS:136		
Utilities	Fleet Admin Pro, Easy Print Manager, Easy Deployment Manager and Status Monitor		
Solutions	Samsung Business Core™ Printing Solutions, Samsung Cloud Print, PrinterOn, Print Fleet, Mobile Print, SmartThru WorkFlow, Selected integrated solution vendors		
Open Platform	eXtensible Open Architecture (XOA), XOA Web, Smart UX		
Copy			
Speed (Mono/Color)	Color Simplex : up to 40 cpm (in Letter) Mono Simplex: up to 40 cpm (in Letter)	Color Simplex : up to 50 cpm (in Letter) Mono Simplex: up to 50 cpm (in Letter)	Color Simplex : up to 60 cpm (in Letter) Mono Simplex: up to 60 cpm (in Letter)
First Copy Out Time (Mono/Color)	4.2/6.1 seconds	3.4/5.1 seconds	3.0/4.5 seconds
Resolution/Zoom Rate/Multi Copy	Up to 600 x 600 dpi/25% - 400%/Up to 9,999		
Copy Features	Proof Copy, N-Up, ID Card Copy, Poster Copy, Image Repeat, Booklet, Covers, Transparencies, Book Copy, Interrupt Copy, Erase Edge, Save to File		



	SL-X7400LX*/GX*	SL-X7500LX*/GX	SL-X7600LX*/GX
Fax (Optional)			
Modem Speed/Compatibility	33.6 Kbps/ITU-T G3, Super G3		
Resolution	203 x 98 dpi (Std), 203 x 196 dpi (Fin), 300 x 300 dpi (Super-fine), 600 x 600 dpi (Ultra-fine)		
Fax Functions	TTI / RTI / Auto Reduction / Multi-send(Same as Group Dial Capacity) / Delayed Send / Memory RX / Secure Rx (<-secure TX) / Time Secured Fax		
Max. Line	2nd Line (optional)		
Scan			
Speed (ipm)	LX: Simplex 80 ipm, Duplex 160 ipm / GX: Simplex 120 ipm, Duplex 240 ipm		
Compatibility	Network TWAIN, Network SANE		
Scan File Formats	PDF / Compact PDF / Searchable PDF /JPEG / XPS / TIFF-S / TIFF-M / TIFF		
Resolution (Optical/Enhanced)	600 x 600 dpi (Optical), 4,800 x 4,800 dpi (Enhanced)		
Destination	Email, FTP, SMB, BOX, USB, WSD, PC		
Paper Handling			
Paper Capacity	(Std) 1,140 Sheets: 520-sheet cassette Tray (80g/m ²)x2, 100-sheet MP tray (80g/m ²) MP tray + 4 Cassettes: 2,180-sheets @ 80g/m ² (Max) 6,140 Sheets: MP(100) + 2 Tray(1.040) + HC(2,000)+Sidedeck(3,000)		
Media Types	MP Tray: Printer Default, Plain Paper, Thick Paper, Thin Paper, Bond Paper, Color Paper, Cardstock, Labels, Envelope, Preprinted, Letterhead, Recycled Paper, Cotton, Archive, Glossy Tray 1, 2; Plain Paper, Thin Paper, Bond, Punched, Preprinted, Recycled, Label, Cardstock, Letterhead, Thick, Cotton, Colored, Archive, Glossy, Envelope (Tray 1 only)		
Media Size	MP Tray: 3.87"x5.8"-12.6"x18" Tray 1: 3.8"x5.8"-11.7"x15.3" Tray 2: 5.8"x8.2"-12"x18"		
Media Weights	MP Tray: 60 - 325g/m ² : Simplex Tray 1: 60 - 300g/m ² Tray 2: 60 - 256g/m ² : Duplex		
ADF Document Size	Ledger / Letter / Legal / Oficio / Folio / A3 / A4 / JIS B5 / ISO B5 / Executive / A5 / A6 / Statement / Custom		
DSDF	LX: 100-Sheet, Dual Scan Document Feeder (DSDF) / GX: 250-Sheet, Dual Scan Document Feeder (DSDF)		
Options			
Paper Handling	Double Cassette Feeder (SL-PFP501D): Capacity 1,040 Sheets (520 Sheets x 2) - Media Sizes: (5.5 x 8.2 in. - 12 x 18 in.) / 60 to 300 gsm High-Capacity Feeder - Bottom (SL-HCF501B): Capacity 2,000 Sheets (80 g/m ² / 20 lb bond) / Media Sizes: A4, Letter / 60 to 300 gsm High-Capacity Feeder - Side (SL-HCF501S): Capacity 3,000 Sheets @ (80 g/m ²) / Media Sizes A4, Letter / 60 to 300 gsm		
Finishing Options	Inner Finisher (SL-FIN502L): Capacity 500 Sheets Stacking, Internal / Staple Capacity 5,000 Staples / Cartridge / Stacking - Top Tray: 50 Sheets (A4/LT @ 80 gsm) - Finishing Tray: 500 Sheets (A4/LT @ 80 gsm) Booklet Finisher (SL-FIN701B): Capacity 65 Sheets Stapling / 2,000 Sheets Stacking / Staple Cartridge 5,000 Staples / Cartridge / Stacking - Top Tray : 250 Sheets (A4/LT @ 80 gsm) - Finishing Tray : 2,000 Sheets (A4/LT @ 80 gsm) High-Volume Finisher (SL-FIN701H): Capacity 65 Sheets Stapling / 3,250 Sheets Stacking / Staple Cartridge 5,000 Staples / Cartridge / Stacking - Top Tray : 250 Sheets (A4/LT @ 80 gsm) - Finishing Tray : 3,000 Sheets (A4/LT @ 80 gsm)		
Others	General: Cabinet, Job Separator, Work Table, Multipurpose Table, Tray Locking Kit Network: Wireless/NFC Kit, Additional LAN Kit, FDI Kit, Fax Kit, Dual Fax Kit Punch Kit for Inner Finisher & Booklet/High-Volume Finisher		
Consumables			
	Cyan Toner: CLT-C806S-30K Yield Magenta Toner: CLT-M806S-30K Yield Yellow Toner: CLT-Y806S-30K Yield Black Toner: CLT-K806S-45K Yield Color Drum: CLT-R806X-180K Yield Black Drum for Color Units: CLT-R806K-220K Yield Toner Waste: CLT-W806-71K Yield		
Reliability and Service			
Recommended AMPV	20K pages/month	25K pages/month	30K pages/month
Recommended Monthly Volume	40K pages/month	50K pages/month	60K pages/month
Max Monthly Duty	200K pages/month	250K pages/month	330K pages/month

*Model available for special order—requires an 8-week lead time (7400GX, 7500LX, 7600LX).